NSN 5306-01-332-3662



Shear Bolt - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5306-01-332-3662 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.448 inches **Fastener Length:** Between 1.417 inches and 1.432 inches **Head Style:** Double hexagon **Head Height:** Between 0.177 inches and 0.197 inches Width Between Flats: Between 0.492 inches and 0.502 inches **Grip Diameter:** Between 0.3115 inches and 0.3120 inches **Shank Unthreaded Hole Diameter:** 0.071 inches first hole and 0.081 inches first hole **Thread Diameter:** 0.312 inches **Grip Length:** 1.000 inches Thready Qty Per Inch (tpi): 24 Min. Tensile Strength (psi): 220000 pounds per square inch Distance From Head Largest Bearing Surface To Shank Hole Center: 1.294 inches first hole **Product Name:** Navy special project Material: Nickel alloy 718 **Material Specification:** Ams5662 assn standard single material response **Surface Treatment: Passivate Surface Treatment Specification:** Qq-p-35 federal specification single treatment response **Thread Series Designator:** Unjf

Shelf Life:

N/a

NSN 5306-01-332-3662

Shear Bolt - Page 2 of 2



	• •				
In	18	<i>(</i>)+	МА	261	ıre:

--

Demilitarization:

No

Fiig:

A003b0