NSN 5306-01-334-7896

Close Tolerance Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-334-7896 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.370 inches **Fastener Length:** Between 0.417 inches and 0.447 inches **Head Style:** Dished hexagon **Head Height:** Between 0.125 inches and 0.140 inches Width Between Flats: 0.434 inches **Hole Diameter:** Between 0.046 inches and 0.056 inches **Grip Diameter:** Between 0.2485 inches and 0.2495 inches **Shank Unthreaded Hole Diameter:** 0.076 inches first hole and 0.086 inches first hole **End Application:** Pacer dawn **Thread Diameter:** 0.2500 inches **Grip Length:** Between 0.052 inches and 0.072 inches **Hole Quantity:** Hole Type: Drilled Thready Qty Per Inch (tpi): **Hole Configuration Style:** Hexagon corners Distance From Head Largest Bearing Surface To Shank Hole Center: 0.262 inches first hole Material: Steel **Surface Treatment:**

Cadmium

Surface Treatment Specification:

Qq-p-416, type 2, class 2 federal specification single treatment response

NSN 5306-01-334-7896

Close Tolerance Bolt - Page 2 of 2



| Thread Series Designator: |
|---------------------------|
| Unjf |
| Shelf Life: |
| N/a |
| Unit Of Measure: |

Demilitarization:

No

Fiig:

A003b0