## NSN 5306-01-334-7898

Close Tolerance Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-334-7898 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.370 inches **Fastener Length:** Between 0.730 inches and 0.760 inches **Head Style:** Dished hexagon **Head Height:** Between 0.125 inches and 0.140 inches Distance From Head Largest Bearing Surface To Shank Hole Center:

Width Between Flats: 0.434 inches **Hole Diameter:** Between 0.046 inches and 0.056 inches **Grip Diameter:** Between 0.2485 inches and 0.2495 inches **Shank Unthreaded Hole Diameter:** 0.076 inches first hole and 0.086 inches first hole **End Application:** Pacer dawn **Thread Diameter:** 0.2500 inches **Grip Length:** Between 0.365 inches and 0.385 inches **Hole Quantity:** Hole Type: Drilled Thready Qty Per Inch (tpi): **Hole Configuration Style:** Hexagon corners 0.575 inches first hole Material: Steel **Surface Treatment:** Cadmium **Surface Treatment Specification:** Qq-p-416, type 2, class 2 federal specification single treatment response

## NSN 5306-01-334-7898

Close Tolerance Bolt - Page 2 of 2



eries Designator:
eries Designator:

Unjf

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A003b0