NSN 5306-01-334-7909

Close Tolerance Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-334-7909

Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
0.725 inches
Fastener Length: Between 2.469 inches and 2.499 inches
Head Style: Spline extended washer
Head Height: Between 0.327 inches and 0.347 inches
Extended Washer Diameter:
0.696 inches
Extended Washer Thickness:
Between 0.044 inches and 0.064 inches
Hole Diameter:
Between 0.060 inches and 0.070 inches
Grip Diameter:
Between 0.3735 inches and 0.3745 inches
Head Minor Diameter:
Between 0.3735 inches and 0.3745 inches
End Application:
Pacer dawn
Thread Diameter:
0.3750 inches
Grip Length:
Between 1.740 inches and 1.760 inches
Hole Quantity:
4
Hole Type:
Drilled
Thready Qty Per Inch (tpi):
24
Hardness Rating:
51.0 rockwell c and 54.0 rockwell c
Hole Configuration Style:
Spline
Surface Finish:
32.0 microinches grip
Special Features:
Hole drilled in top center of head, 0.230/0.270 in. Diameter x 0.110 in. Nomdeep

NSN 5306-01-334-7909

Close Tolerance Bolt - Page 2 of 2



Material:

Steel

Material Specification:

Ams 6487 assn standard single material response

Surface Treatment:

Cadmium

Surface Treatment Specification:

Mil-c-8837, type ii, class 2 military specification single treatment response

Thread Series Designator:

Unjf

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A003b0

Mil-std (military Standard):

Mil-c-8837 spec.