Shoulder Bolt - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5306-01-338-6772



Thread Class: 3a **Thread Direction: Right-hand Thread Length:** 0.425 inches **Fastener Length:** Between 0.785 inches and 0.815 inches **Head Style:** Dished hexagon **Head Height:** Between 0.125 inches and 0.140 inches Width Between Flats: Between 0.429 inches and 0.439 inches **Shoulder Diameter:** 0.2641 inches first shoulder and 0.2651 inches first shoulder Shoulder Length: 0.365 inches first shoulder and 0.385 inches first shoulder **Thread Diameter:** 0.250 inches Thready Qty Per Inch (tpi): 28 Min. Tensile Strength (psi): 160000 pounds per square inch Shoulder Shape: Round first shoulder **Product Name:** Navy special project Material: Iron alloy 660 **Material Specification:** Ams4928 assn standard single material response or ams4967 assn standard single material response Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416 ty2 cl2 federal specification single treatment response **Thread Series Designator:** Unjf **Specification Data:** 80205-nas6704 professional/industrial association standard

Shelf Life:

N/a

NSN 5306-01-338-6772

Shoulder Bolt - Page 2 of 2

Unit Of Measure:

Demilitarization:

No

Fiig:

A003b0

