## NSN 5306-01-338-8141

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-338-8141 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.704 inches and 0.724 inches **Fastener Length:** 0.812 inches **Head Style:** Double hexagon w/hole **Head Height:** 0.375 inches Width Between Flats: Between 0.367 inches and 0.376 inches **Extended Washer Diameter:** 0.500 inches **Extended Washer Thickness:** Between 0.070 inches and 0.080 inches **Hole Diameter:** 0.070 inches **Thread Diameter:** 0.312 inches **Grip Length:** Between 0.088 inches and 0.108 inches **Hole Quantity:** 4 **Hole Type:** Drilled **Features Provided:** Finished head Thready Qty Per Inch (tpi): Hardness Rating: 42.0 rockwell c and 46.0 rockwell c **Hole Configuration Style:** Double hexagon flats Surface Finish: 32.0 microinches bearing surface of head32.0 microinches grip32.0 microinches threads Material: Steel comp 601 **Material Specification:** 

Ams6304 assn standard single material response

## **NSN 5306-01-338-8141**Machine Bolt - Page 2 of 2

Fiig: A003b0



Surface Treatment:
Nickel and cadmium
Surface Treatment Specification:
Ams2416 assn standard single treatment response
Thread Series Designator:
Unjf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No