NSN 5306-01-349-0801

Shear Bolt - Page 1 of 2



view Online at https://aerobasegroup.com/nsn/5306-01-349-0601
Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
1.047 inches
Fastener Length:
Between 4.156 inches and 4.203 inches
Head Style:
Double hexagon
Head Height:
Between 0.458 inches and 0.478 inches
Width Between Flats:
Between 1.239 inches and 1.252 inches
Grip Diameter:
Between 0.8735 inches and 0.8740 inches
Shank Unthreaded Hole Diameter:
0.136 inches first hole and 0.146 inches first hole
Thread Diameter:
0.875 inches
Grip Length:
3.125 inches
Thready Qty Per Inch (tpi):
14
Min. Tensile Strength (psi):
220000 pounds per square inch
Distance From Head Largest Bearing Surface To Shank Hole Center:
3.934 inches first hole
Surface Finish:
32.0 microinches grip
Product Name:
Navy special project
Material:
Nickel alloy 718
Material Specification:
Ams 5662 assn standard single material response
Surface Treatment:
Passivate
Surface Treatment Specification:
Qq-p-35 federal specification single treatment response

Unjf

NSN 5306-01-349-0801

Shear Bolt - Page 2 of 2



She	lf	L	if	е	:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0