NSN 5306-01-349-0802

Shear Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-349-0802

. ,
Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
0.761 inches
Fastener Length:
Between 2.057 inches and 2.104 inches
Head Style:
Double hexagon
Head Height:
Between 0.340 inches and 0.360 inches
Width Between Flats:
Between 0.928 inches and 0.940 inches
Grip Diameter:
Between 0.6235 inches and 0.6240 inches
Shank Unthreaded Hole Diameter:
0.136 inches first hole and 0.146 inches first hole
Thread Diameter:
0.625 inches
Grip Length:
1.312 inches
Thready Qty Per Inch (tpi):
18
Min. Tensile Strength (psi):
220000 pounds per square inch
Distance From Head Largest Bearing Surface To Shank Hole Center:
2.627 inches first hole
Surface Finish:
32.0 microinches grip
Product Name:
Navy special project
Material:
Nickel alloy 718
Material Specification:
Ams 5662 assn standard single material response
Surface Treatment:
Passivate
Surface Treatment Specification:
Qq-p-35 federal specification single treatment response
Thread Series Designator:

Unjf

NSN 5306-01-349-0802

Shear Bolt - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0