## NSN 5306-01-359-6909



Shear Bolt - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5306-01-359-6909 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.400 inches and 0.450 inches **Fastener Length:** Between 2.098 inches and 2.128 inches **Head Style:** Dished hexagon **Head Height:** Between 0.125 inches and 0.140 inches Width Between Flats: Between 0.429 inches and 0.439 inches **Grip Diameter:** Between 0.2490 inches and 0.2495 inches **Thread Diameter:** 0.250 inches **Grip Length:** Between 1.678 inches and 1.698 inches Thready Qty Per Inch (tpi): 28 Min. Tensile Strength (psi): 160000 pounds per square inch **Surface Finish:** 32.0 microinches bearing surface of head32.0 microinches grip32.02 microinches threads Material: Titanium alloy uns r56400 **Material Specification:** Ams4928 assn standard single material response or ams4967 assn standard single material response **Surface Treatment:** Aluminum **Thread Series Designator:** Unjf **Specification Data:** 80205-nas6804 professional/industrial association standard Shelf Life: N/a

**Demilitarization:** 

No

**Unit Of Measure:** 

## NSN 5306-01-359-6909

Shear Bolt - Page 2 of 2



Fiig:

A003b0