NSN 5306-01-360-9145

Shear Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-360-9145 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.589 inches **Fastener Length:** Between 1.074 inches and 1.104 inches **Head Style:** Spline extended washer **Head Height:** Between 0.302 inches and 0.322 inches **Extended Washer Diameter:** Between 0.575 inches and 0.585 inches **Extended Washer Thickness:** Between 0.035 inches and 0.055 inches **Hole Diameter:** Between 0.050 inches and 0.060 inches **Grip Diameter:** Between 0.2485 inches and 0.2495 inches **Head Minor Diameter:** Between 0.383 inches and 0.389 inches **Thread Diameter:** 0.250 inches **Grip Length:** Between 0.178 inches and 0.198 inches **Hole Quantity:** Hole Type: Drilled Thready Qty Per Inch (tpi): Min. Tensile Strength (psi): 22000 pounds per square inch **Hole Configuration Style:** Spline Surface Finish: 32.0 microinches bearing surface of head32.0 microinches grip Material:

Nickel alloy 718

Material Specification:

Ams 5662 assn standard single material response

NSN 5306-01-360-9145

Shear Bolt - Page 2 of 2

Fiig: A003b0



Surface Treatment:
Cadmium and chromate
Surface Treatment Specification:
Qq-p-416, cl2 ty2 federal specification single treatment response
Thread Series Designator:
Unjf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No