## NSN 5306-01-364-4808

Shoulder Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-364-4808 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.562 inches **Fastener Length:** Between 0.864 inches and 0.884 inches **Head Style:** Double hexagon **Head Height:** Between 0.177 inches and 0.197 inches Width Between Flats: 0.500 inches **Shoulder Diameter:** 0.3271 inches first shoulder and 0.3276 inches first shoulder **Shoulder Length:** 0.302 inches bearing surface of head and 0.322 inches bearing surface of head **Thread Diameter:** 0.312 inches Thready Qty Per Inch (tpi): 24 Min. Tensile Strength (psi): 125000 pounds per square inch **Shoulder Shape:** Round first shoulder Material: Steel comp xm-13 **Material Specification:** Ams5629 assn standard single material response **Surface Treatment: Passivate Surface Treatment Specification:** Mil-s-5002 military specification single treatment response **Thread Series Designator:** Unjf Shelf Life: N/a **Unit Of Measure:** 

No

**Demilitarization:** 

## NSN 5306-01-364-4808

Shoulder Bolt - Page 2 of 2



Fiig:

A003b0

Mil-std (military Standard):

Mil-s-5002 spec.