## NSN 5306-01-367-9262

Shear Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-367-9262

Thread	Class:

3a

**Thread Direction:** 

**Right-hand** 

## Thread Length:

0.425 inches

#### Fastener Length:

Between 1.472 inches and 1.502 inches

#### **Head Style:**

Dished hexagon

Head Height:

Between 0.125 inches and 0.140 inches

#### Width Between Flats:

Between 0.429 inches and 0.439 inches

#### Grip Diameter:

Between 0.2490 inches and 0.2495 inches

Thread Diameter:

0.250 inches

Grip Length:

Between 1.052 inches and 1.072 inches

#### Thready Qty Per Inch (tpi):

28

## Min. Tensile Strength (psi):

160000 pounds per square inch

Surface Finish:

32.0 microinches bearing surface of head32.0 microinches grip32.0 microinches threads

Material:

Titanium alloy uns r56400

#### **Material Specification:**

Ams 4928 assn standard single material response and ams 4967 assn standard single material response

#### Surface Treatment:

Aluminum

#### Surface Treatment Specification:

Nas 4006 assn standard single treatment response

## **Thread Series Designator:**

Unjf

#### **Specification Data:**

80205-nas6804 professional/industrial association standard

## Shelf Life:

N/a

## Unit Of Measure:

--

# NSN 5306-01-367-9262

Shear Bolt - Page 2 of 2

Demilitarization:

No

Fiig:

A003b0

