## NSN 5306-01-375-7125

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-375-7125
Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
0.765 inches
Fastener Length:
Between 2.781 inches and 2.808 inches
Head Style:
Dished hexagon
Head Height:
Between 0.359 inches and 0.391 inches
Width Between Flats:
Between 0.741 inches and 0.751 inches
Hole Diameter:
Between 0.065 inches and 0.075 inches
Thread Diameter:
0.500 inches
Grip Length:
Between 1.984 inches and 2.016 inches
Hole Quantity:
6
Hole Type:
Drilled
Thready Qty Per Inch (tpi):
20
Hardness Rating:
26.0 rockwell c and 32.0 rockwell c
Hole Configuration Style:
Hexagon longitudinal hole
Material:
Steel comp 4140 or steel comp 8740 or steel comp 8630 or steel comp 8735 or steel comp 4037
Material Specification:
Mil-s-5626 military specification 1st material response or mil-s-6049 military specification 2nd material response or mil-s-6050 military
specification 3rd material response or mil-s-6758 military specification 4th material response or ams 6300 assn standard 5th material
response
Surface Treatment:
Cadmium and chromate
Surface Treatment Specification:
Qq-p-416 ty2 cl3 federal specification single treatment response
Thread Series Designator:
Unf
Shelf Life:

N/a

## NSN 5306-01-375-7125

Machine Bolt - Page 2 of 2



		eas	

--

Demilitarization:

No

Fiig:

A003b0

Mil-std (military Standard):

Mil-s-5626 spec.