NSN 5306-01-376-1899

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-376-1899

Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
Between 0.564 inches and 0.626 inches
Fastener Length:
Between 0.928 inches and 0.948 inches
Head Style:
Double hexagon w/hole
Head Height:
Between 0.250 inches and 0.270 inches
Width Between Flats:
Between 0.243 inches and 0.251 inches
Extended Washer Diameter:
Between 0.365 inches and 0.385 inches
Extended Washer Thickness:
Between 0.040 inches and 0.050 inches
Hole Diameter:
Between 0.060 inches and 0.080 inches
Thread Diameter:
0.190 inches
Grip Length:
Between 0.252 inches and 0.312 inches
Hole Quantity:
8
Hole Type:
Drilled
Thready Qty Per Inch (tpi):
32
Hole Configuration Style:
Double hexagon longitudinal hole
Surface Finish:
32.0 microinches bearing surface of head63.0 microinches grip32.0 microinches threads
Material:
Nickel alloy 718
Material Specification:
Ams 5663 assn standard single material response
Thread Series Designator:
Unjf
Shelf Life:
N/a

NSN 5306-01-376-1899 Machine Bolt - Page 2 of 2



ı	In	it I	Of	· M	دما	e i	ıre:
ι	JΝ	II '	ωı	IV	еа	SU	ıre:

Demilitarization:

No

Fiig:

A003b0