NSN 5306-01-388-4904

Shoulder Bolt - Page 1 of 2

За



View Online at https://aerobasegroup.com/nsn/5306-01-388-4904

Thread Class:

Thread Direction:
Right-hand
Thread Length:
0.570 inches
Fastener Length:
Between 1.070 inches and 1.090 inches
Head Style:
Square
Head Height:
Between 0.115 inches and 0.125 inches
Width Between Flats:
Between 0.490 inches and 0.510 inches
Shoulder Diameter:
0.2526 inches first shoulder and 0.2532 inches first shoulder
Shoulder Length:
0.120 inches first shoulder and 0.130 inches first shoulder
End Application:
F101-102engine b1b
Thread Diameter:
0.250 inches
Thready Qty Per Inch (tpi):
28
Shoulder Shape:
Shoulder Shape: Round first shoulder
·
Round first shoulder
Round first shoulder Special Features:
Round first shoulder Special Features: Surface finish of head is 63 microinches: surface finish of grip is 32 microinches
Round first shoulder Special Features: Surface finish of head is 63 microinches: surface finish of grip is 32 microinches Material:
Round first shoulder Special Features: Surface finish of head is 63 microinches: surface finish of grip is 32 microinches Material: Nickel alloy 718
Round first shoulder Special Features: Surface finish of head is 63 microinches: surface finish of grip is 32 microinches Material: Nickel alloy 718 Material Specification:
Round first shoulder Special Features: Surface finish of head is 63 microinches: surface finish of grip is 32 microinches Material: Nickel alloy 718 Material Specification: C50tf13 cl-b mfr ref single material response
Round first shoulder Special Features: Surface finish of head is 63 microinches: surface finish of grip is 32 microinches Material: Nickel alloy 718 Material Specification: C50tf13 cl-b mfr ref single material response Surface Treatment:
Round first shoulder Special Features: Surface finish of head is 63 microinches: surface finish of grip is 32 microinches Material: Nickel alloy 718 Material Specification: C50tf13 cl-b mfr ref single material response Surface Treatment: Chromium first shoulder
Round first shoulder Special Features: Surface finish of head is 63 microinches: surface finish of grip is 32 microinches Material: Nickel alloy 718 Material Specification: C50tf13 cl-b mfr ref single material response Surface Treatment: Chromium first shoulder Surface Treatment Specification:
Round first shoulder Special Features: Surface finish of head is 63 microinches: surface finish of grip is 32 microinches Material: Nickel alloy 718 Material Specification: C50tf13 cl-b mfr ref single material response Surface Treatment: Chromium first shoulder Surface Treatment Specification: Ams 2406 assn standard single treatment response first shoulder
Round first shoulder Special Features: Surface finish of head is 63 microinches: surface finish of grip is 32 microinches Material: Nickel alloy 718 Material Specification: C50tf13 cl-b mfr ref single material response Surface Treatment: Chromium first shoulder Surface Treatment Specification: Ams 2406 assn standard single treatment response first shoulder Thread Series Designator:
Round first shoulder Special Features: Surface finish of head is 63 microinches: surface finish of grip is 32 microinches Material: Nickel alloy 718 Material Specification: C50tf13 cl-b mfr ref single material response Surface Treatment: Chromium first shoulder Surface Treatment Specification: Ams 2406 assn standard single treatment response first shoulder Thread Series Designator: Unjf
Round first shoulder Special Features: Surface finish of head is 63 microinches: surface finish of grip is 32 microinches Material: Nickel alloy 718 Material Specification: C50tf13 cl-b mfr ref single material response Surface Treatment: Chromium first shoulder Surface Treatment Specification: Ams 2406 assn standard single treatment response first shoulder Thread Series Designator: Unjf Shelf Life:

NSN 5306-01-388-4904

Shoulder Bolt - Page 2 of 2



Demilitarization:

No

Fiig:

A003b0