## NSN 5306-01-392-1028

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-392-1028

Thread Class:
3a
Thread Direction:
Right-hand Thread Longth
Thread Length:  Between 0.437 inches and 0.516 inches
Fastener Length:  Between 5.515 inches and 5.562 inches
Head Style:
Hexagon Head Mainte
Head Height:
Between 0.140 inches and 0.172 inches
Width Between Flats:
Between 0.428 inches and 0.440 inches
Hole Diameter:
Between 0.046 inches and 0.056 inches
Thread Diameter:
0.250 inches
Grip Length:
Between 5.046 inches and 5.078 inches
Hole Quantity:
1
Hole Type:
Drilled
Features Provided:
Finished head
Thready Qty Per Inch (tpi):
28
Min. Tensile Strength (psi):
125000 pounds per square inch
Hardness Rating:
26.0 rockwell c and 32.0 rockwell c
Hole Configuration Style:
Hexagon flats
Material:
Steel comp 4140 or steel comp 8740 or steel comp 8630 or steel comp 8735 or steel comp 4130 or steel comp 4037
Surface Treatment:
Cadmium and chromate
Surface Treatment Specification:
Qq-p-416 type 2 class 2 federal specification single treatment response
Thread Series Designator:
Unf

## NSN 5306-01-392-1028

Machine Bolt - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A003b0