NSN 5306-01-397-5095

Close Tolerance Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-397-5095

| Thread Class: |
|--|
| За |
| Thread Direction: |
| Right-hand |
| Thread Length: |
| 0.454 inches |
| Fastener Length: |
| Between 2.939 inches and 2.969 inches |
| Head Style: |
| Hexagon |
| Head Height: |
| Between 0.188 inches and 0.203 inches |
| Width Between Flats: |
| Between 0.554 inches and 0.564 inches |
| Hole Diameter: |
| Between 0.070 inches and 0.080 inches |
| Grip Diameter: |
| Between 0.3740 inches and 0.3745 inches |
| Thread Diameter: |
| 0.375 inches |
| Grip Length: |
| Between 2.490 inches and 2.510 inches |
| Hole Quantity: |
| 3 |
| Ноје Туре: |
| Drilled |
| Thready Qty Per Inch (tpi): |
| 24 |
| Min. Tensile Strength (psi): |
| 160000 pounds per square inch |
| Hole Configuration Style: |
| Hexagon flats |
| Surface Finish: |
| 32.0 microinches threads |
| Material: |
| Titanium alloy uns r56400 |
| Material Specification: |
| Ams 4928 assn standard single material response or ams 4967 assn standard single material response |
| Thread Series Designator: |
| Unjf |
| Specification Data: |
| 80205-nas6406 professional/industrial association standard |

NSN 5306-01-397-5095

Close Tolerance Bolt - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0

