NSN 5306-01-440-4637

Shear Bolt - Page 1 of 2



Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
0.578 inches
Fastener Length:
Between 1.813 inches and 1.843 inches
Head Style:
Hexagon
Head Height:
Between 1.875 inches and 1.905 inches
Width Between Flats:
Between 0.554 inches and 0.564 inches
Grip Diameter:
Between 0.3740 inches and 0.3745 inches
Thread Diameter:
0.375 inches
Grip Length:
Between 1.240 inches and 1.260 inches
Thready Qty Per Inch (tpi):
24
Min. Tensile Strength (psi):
160000 pounds per square inch
160000 pounds per square inch Surface Finish:
Surface Finish:
Surface Finish: 32.0 microinches threads
Surface Finish: 32.0 microinches threads Color:
Surface Finish: 32.0 microinches threads Color: Green threads
Surface Finish: 32.0 microinches threads Color: Green threads Material:
Surface Finish: 32.0 microinches threads Color: Green threads Material: Iron alloy 660
Surface Finish: 32.0 microinches threads Color: Green threads Material: Iron alloy 660 Material Specification:
Surface Finish: 32.0 microinches threads Color: Green threads Material: Iron alloy 660 Material Specification: Ams5737 assn standard single material response and ams5731 assn standard single material response
Surface Finish: 32.0 microinches threads Color: Green threads Material: Iron alloy 660 Material Specification: Ams5737 assn standard single material response and ams5731 assn standard single material response Surface Treatment:
Surface Finish: 32.0 microinches threads Color: Green threads Material: Iron alloy 660 Material Specification: Ams5737 assn standard single material response and ams5731 assn standard single material response Surface Treatment: Cadmium and chromate
Surface Finish: 32.0 microinches threads Color: Green threads Material: Iron alloy 660 Material Specification: Ams5737 assn standard single material response and ams5731 assn standard single material response Surface Treatment: Cadmium and chromate Surface Treatment Specification:
Surface Finish: 32.0 microinches threads Color: Green threads Material: Iron alloy 660 Material Specification: Ams5737 assn standard single material response and ams5731 assn standard single material response Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416, ty2 cl2 federal specification single treatment response
Surface Finish: 32.0 microinches threads Color: Green threads Material: Iron alloy 660 Material Specification: Ams5737 assn standard single material response and ams5731 assn standard single material response Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416, ty2 cl2 federal specification single treatment response Thread Series Designator:
Surface Finish: 32.0 microinches threads Color: Green threads Material: Iron alloy 660 Material Specification: Ams5737 assn standard single material response and ams5731 assn standard single material response Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416, ty2 cl2 federal specification single treatment response Thread Series Designator: Unjf

N/a

NSN 5306-01-440-4637

Shear Bolt - Page 2 of 2



	Of			

--

Demilitarization:

No

Fiig:

A003b0