NSN 5306-01-440-7560

Cadmium and chromate

Assembled Washer Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-440-7560

Thread Clean
Thread Class:
Thread Direction:
Right-hand
Thread Length:
0.735 inches
Fastener Length: Between 1.720 inches and 1.750 inches
Head Style:
Dished hexagon
Head Height: Between 0.250 inches and 0.265 inches
Width Between Flats:
Between 0.741 inches and 0.752 inches Hole Diameter:
Between 0.070 inches and 0.080 inches
Washer Quantity:
1
Thread Diameter:
0.500 inches
Hole Quantity:
3
S Hole Type:
Drilled
Thready Qty Per Inch (tpi):
20
Min. Tensile Strength (psi):
160000 pounds per square inch
Hole Configuration Style:
Hexagon corners
Primary Washer Outside Diameter:
0.845 inches
Primary Washer Style:
Split helical ring
Primary Washer Material Thickness:
0.040 inches
Material:
Iron alloy 660
Material Specification:
Ams 5731 assn standard single material response or ams 5737 assn standard single material response
Surface Treatment:
Cadmium, and chromato

NSN 5306-01-440-7560

Assembled Washer Bolt - Page 2 of 2



Surface Treatment Specification:

Qq-p-416, type 2, class 2 federal specification all treatment responses

Thread Series Designator:

Unjf

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A003b0