NSN 5306-01-451-7312

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-451-7312							
Thread Class:							
3a							
Thread Direction:							
Right-hand							
Thread Length:							
Between 0.469 inches and 0.485 inches							
Fastener Length:							
Between 2.141 inches and 2.188 inches							
Head Style:							
Hexagon							
Head Height:							
Between 0.140 inches and 0.172 inches							
Width Between Flats:							
Between 0.428 inches and 0.440 inches							
Hole Diameter:							
Between 0.036 inches and 0.056 inches							
Thread Diameter:							
0.250 inches							
Grip Length:							
Between 1.672 inches and 1.703 inches							
Hole Quantity:							
1							
1 Hole Type:							
Hole Type:							
Hole Type: Drilled							
Hole Type: Drilled Features Provided:							
Hole Type: Drilled Features Provided: Finished head							
Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi):							
Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 28							
Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 28 Hole Configuration Style:							
Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 28 Hole Configuration Style: Hexagon flats							
Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 28 Hole Configuration Style: Hexagon flats Material:							
Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 28 Hole Configuration Style: Hexagon flats Material: Steel comp 321 or steel comp 347							
Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 28 Hole Configuration Style: Hexagon flats Material: Steel comp 321 or steel comp 347 Material Specification:							
Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 28 Hole Configuration Style: Hexagon flats Material: Steel comp 321 or steel comp 347 Material Specification: Ams5645 assn standard 1st material response or ams5646 assn standard 2nd material response							
Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 28 Hole Configuration Style: Hexagon flats Material: Steel comp 321 or steel comp 347 Material Specification: Ams5645 assn standard 1st material response or ams5646 assn standard 2nd material response Surface Treatment:							
Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 28 Hole Configuration Style: Hexagon flats Material: Steel comp 321 or steel comp 347 Material Specification: Ams5645 assn standard 1st material response or ams5646 assn standard 2nd material response Surface Treatment: Passivate							
Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 28 Hole Configuration Style: Hexagon flats Material: Steel comp 321 or steel comp 347 Material Specification: Ams5645 assn standard 1st material response or ams5646 assn standard 2nd material response Surface Treatment: Passivate Thread Series Designator:							
Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 28 Hole Configuration Style: Hexagon flats Material: Steel comp 321 or steel comp 347 Material Specification: Ams5645 assn standard 1st material response or ams5646 assn standard 2nd material response Surface Treatment: Passivate Thread Series Designator: Unf							
Hole Type: Drilled Features Provided: Finished head Thready Qty Per Inch (tpi): 28 Hole Configuration Style: Hexagon flats Material: Steel comp 321 or steel comp 347 Material Specification: Ams5645 assn standard 1st material response or ams5646 assn standard 2nd material response Surface Treatment: Passivate Thread Series Designator: Unf Specification Data:							

NSN 5306-01-451-7312

Machine Bolt - Page 2 of 2



ı	In	it I	Of	· M	دما	e i	ıre:
ι	JΝ	II '	ωı	IV	еа	SU	ıre:

--

Demilitarization:

No

Fiig:

A003b0