NSN 5306-01-477-5584

Close Tolerance Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-477-5584 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.467 inches **Fastener Length:** Between 1.264 inches and 1.311 inches **Head Style:** Spline drive shear head **Head Height:** 0.187 inches **Hole Diameter:** Between 0.065 inches and 0.075 inches **Grip Diameter:** Between 0.484 inches and 0.511 inches **Head Minor Diameter:** Between 0.595 inches and 0.605 inches **End Application:** F18 e/f **Thread Diameter:** 0.313 inches **Grip Length:** Between 0.803 inches and 0.823 inches **Hole Quantity:** 1 **Hole Type:** Drilled Thready Qty Per Inch (tpi): 24 Min. Tensile Strength (psi): 125000 pounds per square inch **Hole Configuration Style:** Round **Criticality Code Justification:** Agav **Product Name:** Bolt, close tolerance, spline drive, cres (125 ksi fsu) Material:

Steel comp xm-13

Material Specification:

Ams 5629 assn standard single material response

NSN 5306-01-477-5584

Close Tolerance Bolt - Page 2 of 2



Surface Treatment:
Passivate
Surface Treatment Specification:
Ams 5629 assn standard single treatment response
Thread Series Designator:
Unjf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A003b0