

View Online at <https://aerobasegroup.com/nsn/5306-01-495-2698>

Thread Class:

3a

Thread Direction:

Right-hand

Thread Length:

Between 1.920 inches and 1.997 inches

Fastener Length:

Between 1.890 inches and 1.937 inches

Head Style:

Hexagon

Head Height:

0.172 inches

Width Between Flats:

Between 0.365 inches and 0.377 inches

Hole Diameter:

Between 0.070 inches and 0.080 inches

Grip Diameter:

Between 0.167 inches and 0.190 inches

Shank Unthreaded Hole Diameter:

0.070 inches all holes and 0.080 inches all holes

Thread Diameter:

0.190 inches

Grip Length:

Between 0.030 inches and 0.060 inches

Hole Quantity:

3

Hole Type:

Drilled

Thready Qty Per Inch (tpi):

32

Hole Configuration Style:

Hexagon flats

Distance From Head Largest Bearing Surface To Shank Hole Center:

0.940 inches all holes and 0.950 inches all holes

Product Name:

Bolt-full threaded, 160 ksi steel, drilled head

Material:

Stainless steel

Material Specification:

Ams 5737 assn standard single material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Qq-p-35 federal specification single treatment response

Thread Series Designator:

Unjf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0