NSN 5306-01-498-6716

Shear Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/psn/5306-01-408-6716

View Online at https://aerobasegroup.com/nsn/5306-01-498-6716
Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
0.438 inches
Fastener Length:
Between 1.235 inches and 1.265 inches
Head Style:
Dished hexagon
Head Height:
Between 0.156 inches and 0.171 inches
Width Between Flats:
Between 0.492 inches and 0.502 inches
Grip Diameter:
Between 0.311 inches and 0.312 inches
End Application:
F/a-22 raptor
Thread Diameter:
0.312 inches
Grip Length:
Between 0.802 inches and 0.822 inches
Thready Qty Per Inch (tpi):
24
Min. Tensile Strength (psi):
160000 pounds per square inch
Product Name:
Bolt
Material:
Iron alloy 660
Material Specification:
Ams 5731 national std/spec 1st material response or ams 5732 national std/spec 2nd material response or ams 5737 national std/spec 3rd
material response or ams 5853 national std/spec 4th material response
Surface Treatment:
Passivate
Surface Treatment Specification:
Nas 4003 national std/spec single treatment response
Thread Series Designator:
Unjf
Specification Data:
80205 - nas 6305 national std/spec
Shelf Life:

N/a

NSN 5306-01-498-6716

Shear Bolt - Page 2 of 2



			ıre:

--

Demilitarization:

No

Fiig:

A003b0