NSN 5306-01-498-6768

Shear Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-498-6768

80205 - nas 6708 professional/industrial association standard

Thread Class.
Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
0.735 inches
Fastener Length:
Between 2.845 inches and 2.875 inches
Head Style:
Dished hexagon
Head Height:
Between 0.250 inches and 0.265 inches
Width Between Flats:
Between 0.741 inches and 0.752 inches
Grip Diameter:
0.499 inches
Single Shear Strength:
95000 pounds per square inch
End Application:
F/a-22 raptor
Thread Diameter:
0.500 inches
Grip Length:
Between 2.115 inches and 2.135 inches
Thready Qty Per Inch (tpi):
20
Min. Tensile Strength (psi):
160000 pounds per square inch
Product Name:
Bolt, hex head
Material:
Iron alloy 660
Material Specification:
Ams 5731 national std/spec 1st material response or ams 5737 national std/spec 2nd material response
Surface Treatment:
Passivate
Surface Treatment Specification:
Qq-p-35 national std/spec single treatment response
Thread Series Designator:
Unjf
Specification Data:

NSN 5306-01-498-6768

Shear Bolt - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0