## NSN 5306-01-500-4513

Close Tolerance Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-500-4513 **Thread Direction:** Right-hand Thread Length: 11.5 millimeters **Fastener Length:** Between 17.3 millimeters and 17.8 millimeters **Head Style:** Hexagon **Head Height:** Between 4.2 millimeters and 4.5 millimeters Width Between Flats: Between 12.73 millimeters and 13.00 millimeters **Grip Diameter:** Between 7.962 millimeters and 7.987 millimeters **End Application:** 1055-01-329-6826 **Thread Diameter:** 8.0 millimeters **Grip Length:** Between 5.8 millimeters and 6.2 millimeters **Thread Pitch In Millimeters:** 1.0 **External Thread Tolerance Class:** 4h6h Material: Steel comp 8740 or steel comp e4340 **Material Specification:** Mil-s-5000 military specification single material response or mil-s-6049 military specification single material response **Surface Treatment:** Cadmium and chromate **Surface Treatment Specification:** Qq-p-416, ty ii, cl 2 federal specification single treatment response **Thread Series Designator:** Μį Shelf Life: N/a **Unit Of Measure: Demilitarization:** 

No **Fiig:** 

A003b0

## NSN 5306-01-500-4513

Close Tolerance Bolt - Page 2 of 2



Mil-std (military Standard):

Mil-s-5000 spec.