NSN 5306-01-501-1941



Ribbed Neck Bolt - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5306-01-501-1941 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.455 inches **Fastener Length:** 0.860 inches **Head Style:** Double hexagon w/hole **Head Height:** 0.235 inches Width Between Flats: Between 0.305 inches and 0.313 inches **Extended Washer Diameter:** 0.470 inches **Extended Washer Thickness:** 0.042 inches Rib Length: 0.090 inches **Rib Quantity:** 12 **End Application:** Mv-22 aircraft (v-22 Irip 1 e-nsn isil) **Thread Diameter:** 0.250 inches Thready Qty Per Inch (tpi): 28 **Rib Included Angle:** 30.0 degrees **Criticality Code Justification:** Feat **Product Name:** Bolt, 12 point head, 200 ksi min tensile, a286 cres; inavy: bolt, shear, aircraft **Special Features:** These bolts are intended for tension applications where high strength, fatigue resistance, toughness and corrosion and oxidation resistance are necessary or desirable; essential to weapon system performance or operation, or the preservation of life or safety of operating personnel Material:

Iron alloy 660

Material Specification:

Ams5737 assn standard single material response

Surface Treatment Specification:

Ams-qq-p-416, type 2, class 2 assn standard single treatment response

NSN 5306-01-501-1941

Ribbed Neck Bolt - Page 2 of 2



Thread Series Designator:
Unjf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A003b0