## NSN 5306-01-502-8604

Shear Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-502-8604

Thread Direction:
Right-hand
Thread Length:
7.65 millimeters
Fastener Length:
32.65 millimeters
Head Style:
Flat countersunk undercut
Head Diameter:
Between 7.71 millimeters and 7.85 millimeters
Head Height:
Between 1.14 millimeters and 1.20 millimeters
Grip Diameter:
Between 4.84 millimeters and 4.90 millimeters
Thread Diameter:
5.0 millimeters
Grip Length:
25.0 millimeters
Min. Tensile Strength (psi):
9300 newtons per square millimeter
Thread Pitch In Millimeters:
0.8
External Thread Tolerance Class:
4h
Countersink Angle:
100.0 degrees
Color:
Black
Material:
Titanium alloy
Material Specification:
Ams4928 military specification single material response or ams4967 military specification single material response
Surface Treatment:
Aluminum
Surface Treatment Specification:
Hi-shear specification 294 mfr ref single treatment response
Thread Series Designator:
M
Shelf Life:
N/a
Unit Of Measure:

--

## NSN 5306-01-502-8604

Shear Bolt - Page 2 of 2



em			

No

Fiig:

A003b0

Mil-std (military Standard):

spec.