NSN 5306-01-521-8071

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-521-8071 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.640 inches **Fastener Length:** Between 4.8125 inches and 4.8593 inches **Head Style:** Hexagon **Head Height:** Between 0.203 inches and 0.235 inches Width Between Flats: Between 0.553 inches and 0.565 inches **Grip Diameter:** Between 0.371 inches and 0.374 inches **Thread Diameter:** 0.3750 inches **Grip Length:** Between 4.17 inches and 4.20 inches Thready Qty Per Inch (tpi): 24 Min. Tensile Strength (psi): 7460 pounds per square inch **Product Name:** Bolt, tension, hex head, stabilized, non-magnetic, cres, 85 ksi ftu Material: Steel comp 321 or steel comp 347 **Material Specification:** Ams 5645 national std/spec 1st material response or ams 5646 national std/spec 2nd material response **Surface Treatment: Passivate Thread Series Designator:** Unf **Specification Data:** 80205-nas501 professional/industrial association standard Shelf Life: N/a **Unit Of Measure:**

No

Demilitarization:

NSN 5306-01-521-8071Machine Bolt - Page 2 of 2



Fiig:

A003b0