## NSN 5306-01-524-0802



Shear Bolt - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5306-01-524-0802 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.440 inches **Fastener Length:** 4.375 inches **Head Style:** Hexagon **Head Height:** 0.136 inches Width Between Flats: 0.497 inches **Hole Diameter:** 0.070 inches **Grip Diameter:** 0.3110 inches **End Application:** Support of pre-provisioning items for which navicp phil acts as poe (e-nsn isil) Thread Diameter: 0.312 inches **Grip Length:** 3.758 inches **Hole Quantity:** 3 **Hole Type:** Drilled Thready Qty Per Inch (tpi): 24 Min. Tensile Strength (psi): 190 pounds per square inch **Hole Configuration Style:** Hexagon corners **Criticality Code Justification:** Agav

Agav

**Product Name:** 

Bolt, shear, hex head, long thread

**Special Features:** 

Cadmium plate all put threaded portion

Material:

Iron alloy 660

## NSN 5306-01-524-0802

Shear Bolt - Page 2 of 2



Material	Specification	:
Matchai	opecinication	

Ams 5731 federal specification 1st material response or ams 5737 federal specification 2nd material response

**Surface Treatment:** 

Cadmium

**Surface Treatment Specification:** 

Ams-qq-p-416, type 2, class 2 federal specification single treatment response

**Thread Series Designator:** 

Unjf

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A003b0