

View Online at <https://aerobasegroup.com/nsn/5306-01-531-5231>

Thread Class:

3a

Thread Direction:

Right-hand

Thread Length:

Between 0.882 inches and 0.912 inches

Fastener Length:

Between 1.220 inches and 1.270 inches

Head Style:

Double hexagon w/hole

Head Height:

Between 0.338 inches and 0.358 inches

Hole Diameter:

Between 0.050 inches and 0.060 inches

Single Shear Strength:

102000 pounds per square inch

End Application:

1520-01-088-3669

Thread Diameter:

0.312 inches

Hole Quantity:

4

Hole Type:

Drilled

Thready Qty Per Inch (tpi):

24

Min. Tensile Strength (psi):

180000 pounds per square inch

Hole Configuration Style:

Double hexagon longitudinal hole

Surface Finish:

0.0 microinches

Product Name:

External wrenching, 180 ksi mintensile, 102 ksi min shear, 4340 or 8740 steel; 450 f

Material:

Steel comp 4340 or steel comp 8740

Material Specification:

Mil-s-5000 military specification all material responses or mil-s-6049 military specification all material responses

Surface Treatment:

Cadmium

Surface Treatment Specification:

Nas672 assn standard all treatment responses

Thread Series Designator:

Unjf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0

Mil-std (military Standard):

Mil-s-5000 spec.