NSN 5306-01-564-1413

Close Tolerance Bolt - Page 1 of 2

Thread Direction:

Right-hand



View Online at https://aerobasegroup.com/nsn/5306-01-564-1413

| Thread Length: |
|---|
| 16.0 millimeters |
| Fastener Length: |
| 38.0 millimeters |
| Head Style: |
| Hexagon |
| Head Height: |
| Between 5.7 millimeters and 6.0 millimeters |
| Width Between Flats: |
| 21.1 millimeters |
| Hole Diameter: |
| 0.4 millimeters |
| Grip Diameter: |
| Between 11.959 millimeters and 11.984 millimeters |
| Point Diameter: |
| Between 9.9 millimeters and 10.4 millimeters |
| Point Style: |
| Flat |
| Thread Diameter: |
| 12.0 millimeters |
| Grip Length: |
| 22.0 millimeters |
| Hole Quantity: |
| 1 |
| Hole Type: |
| Drilled |
| Min. Tensile Strength (psi): |
| 1100 megapascals |
| Thread Pitch In Millimeters: |
| 1.25 |
| External Thread Tolerance Class: |
| 4h6h |
| Hole Configuration Style: |
| Round longitudinal hole |
| Material: |
| Steel |
| Surface Treatment: |

Surface Treatment Specification:

Cadmium

Qq-p-416, type ii, class 2 federal specification single treatment response

NSN 5306-01-564-1413

Close Tolerance Bolt - Page 2 of 2



| Thread Series Designator | tor: |
|--------------------------|------|
|--------------------------|------|

Mj

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0