

View Online at <https://aerobasegroup.com/nsn/5306-01-573-3395>

Thread Class:

3a

Thread Direction:

Right-hand

Thread Length:

Between 0.807 inches and 0.817 inches

Fastener Length:

Between 3.797 inches and 3.827 inches

Head Style:

Bevel-conical

Head Diameter:

Between 0.818 inches and 0.828 inches

Head Height:

0.500 inches

Hole Diameter:

0.550 inches

Internal Drive Style:

Hexagon

End Application:

1520-01-035-0266 helicopter, utility

Thread Diameter:

0.250 inches

Width Across Flats:

Between 0.376 inches and 0.379 inches

Hole Quantity:

4

Hole Type:

Drilled

Thready Qty Per Inch (tpi):

20

Min. Tensile Strength (psi):

27400 pounds per square inch

Hardness Rating:

34.0 rockwell c and 40.0 rockwell c

Hole Configuration Style:

Round internal hexagon

Product Name:

Bolts, internal wrenching, 160 ksi ftu and 96 ksi fsu

Material:

Steel

Surface Treatment:

Cadmium

Surface Treatment Specification:

Qq-p-416, type ii. Class 2 federal specification single treatment response

Thread Series Designator:

Unjf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A003b0