NSN 5306-01-592-5607

Close Tolerance Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-592-5607

Thread Olever
Thread Class:
3a Thread Biresting
Thread Direction:
Right-hand
Thread Length:
0.345 inches
Fastener Length:
1.033 inches
Head Style:
Hexagon
Head Height:
0.110 inches
Width Between Flats:
0.367 mils and 0.376 centimeters
Hole Diameter:
0.046 inches
Grip Diameter:
0.1885 mils and 0.1895 centimeters
Point Diameter:
Between 0.181 inches and 0.184 inches
Point Style:
Flat
Thread Diameter:
0.190 inches
Grip Length:
0.688 inches
Hole Quantity:
3
Hole Type:
Drilled
Thready Qty Per Inch (tpi):
32
Min. Tensile Strength (psi):
160000 pounds per square inch
Hole Configuration Style:
Hexagon corners
Material:
Iron alloy 660
Material Specification:

Ams5731 assn standard single material response or ams5732 assn standard single material response or ams5737 assn standard single

Surface Treatment:

material response or ams5853 assn standard single material response

Cadmium

NSN 5306-01-592-5607

Close Tolerance Bolt - Page 2 of 2



Qq-p-416, type ii, class 2 federal specification single treatment response

Thread Series Designator:

Unjf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0