

View Online at <https://aerobasegroup.com/nsn/5306-01-602-8342>

**Thread Class:**

3a

**Thread Direction:**

Right-hand

**Thread Length:**

0.323 inches

**Fastener Length:**

1.385 inches

**Head Style:**

Flat countersunk

**Head Diameter:**

0.303 inches

**Grip Diameter:**

Between 0.1885 inches and 0.1895 inches

**Point Diameter:**

Between 0.181 inches and 0.184 inches

**Point Style:**

Flat

**Thread Diameter:**

0.190 inches

**Grip Length:**

1.062 inches

**Thread Qty Per Inch (tpi):**

32

**Min. Tensile Strength (psi):**

160000 pounds per square inch

**Countersink Angle:**

Between 99.0 degrees and 101.0 degrees

**Material:**

Steel comp e4340 or steel comp 8740

**Material Specification:**

Mil-s-5000 military specification single material response or mil-s-6049 military specification single material response or ams6322 assn standard single material response

**Surface Treatment:**

Cadmium

**Surface Treatment Specification:**

Qq-p-413, type ii, class 2 federal specification single treatment response

**Thread Series Designator:**

Unjf

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A003b0

**Mil-std (military Standard):**

Mil-s-5000 spec.