## NSN 5306-01-604-6700

Close Tolerance Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-604-6700 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.469 inches **Fastener Length:** 1.907 inches **Head Style:** Hexagon **Head Height:** 0.156 inches Width Between Flats: Between 0.492 inches and 0.502 inches **Hole Diameter:** 0.076 inches **Grip Diameter:** Between 0.3115 inches and 0.3120 inches **Point Diameter:** Between 0.302 inches and 0.306 inches Point Style: Flat **Thread Diameter:** 0.312 inches **Grip Length:** 1.438 inches **Hole Quantity:** Hole Type: Drilled Thready Qty Per Inch (tpi): Min. Tensile Strength (psi): 160000 pounds per square inch **Hole Configuration Style:** Hexagon corners Material:

Material Specification:

Iron alloy 660

Ams 5731 assn standard single material response or ams 5732 assn standard single material response or ams 5737 assn standard single material response or ams 5853 assn standard single material response

## **Surface Treatment:**

Passivate

## NSN 5306-01-604-6700

Close Tolerance Bolt - Page 2 of 2



Surface Treatment S	pecification:
---------------------	---------------

Ams 2700, method 1, type 2 or 8, class 1 assn standard single treatment response

**Thread Series Designator:** 

Unjf

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A003b0