## NSN 5306-01-607-7702

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-607-7702

| Thread Class:  |
|--|
| 3a   |
| Thread Direction:  |
| Right-hand   |
| Thread Length:   |
| 0.5780 inches  |
| Fastener Length:   |
| Between 2.8755 inches and 2.9055 inches  |
| Head Style:  |
| Fillister countersunk  |
| Head Diameter:   |
| Between 0.692 inches and 0.763 inches  |
| Head Height:   |
| 0.025 inches   |
| Grip Diameter:   |
| Between 0.3740 inches and 0.3745 inches  |
| End Application:   |
| Kc-135 acft  |
| Thread Diameter:   |
| 0.3750 inches  |
| Grip Length:   |
| Between 2.3025 inches and 2.3225 inches  |
| Thready Qty Per Inch (tpi):  |
| 24   |
| Countersink Angle:   |
| Between 99.0 degrees and 101.0 degrees   |
| Product Name:  |
| Bolt, 100 degree head, cruciform recess close tolerance  |
| Material:  |
| Titanium alloy uns r56400  |
| Material Specification:  |
| Ams4928 assn standard single material response or ams4967 assn standard single material response |
| Surface Treatment:   |
| Aluminum   |
| Surface Treatment Specification:   |
| Nas4006 national std/spec single treatment response  |
| Thread Series Designator:  |
| Unjf   |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:   |

--

## NSN 5306-01-607-7702

Machine Bolt - Page 2 of 2



Demilitarization:

No

Fiig:

A003b0