NSN 5306-01-614-4950

Close Tolerance Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-614-4950

| Thread Observe |
|---|
| Thread Class: |
| 3a |
| Thread Direction: |
| Right-hand |
| Thread Length: |
| 1.496 inches |
| Fastener Length: |
| Between 7.418 inches and 7.465 inches |
| Head Style: |
| Double hexagon |
| Head Height: |
| 0.539 inches |
| Width Between Flats: |
| Between 1.427 inches and 1.440 inches |
| Grip Diameter: |
| Between 0.9980 inches and 0.9990 inches |
| End Application: |
| C-5m aircraft |
| Thread Diameter: |
| 1.0000 inches |
| Grip Length: |
| 5.938 inches |
| Features Provided: |
| Cetyl alcohol lubricant |
| Thready Qty Per Inch (tpi): |
| 12 |
| Product Name: |
| Bolt-shear, 156 ksi fsu 900 deg. F. External wrenching 12-point |
| Special Features: |
| Temp. Range -65 deg. F. To 900 deg. F. |
| Material: |
| Steel comp h11 |
| Material Specification: |
| Stsb001, cage 98897 mfr ref single material response |
| Surface Treatment: |
| Cadmium and nickel |
| Surface Treatment Specification: |
| Stsbs001, cage 98897 mfr ref all treatment responses |
| Thread Series Designator: |
| Unjf |
| Shelf Life: |
| N/a |
| |

NSN 5306-01-614-4950

Close Tolerance Bolt - Page 2 of 2

Unit Of Measure:

Demilitarization:

No

Fiig:

A003b0

