## NSN 5306-01-654-5661

Close Tolerance Bolt - Page 1 of 2

**Thread Class:** 



View Online at https://aerobasegroup.com/nsn/5306-01-654-5661

4h6h
Thread Direction:
Right-hand
Thread Length:
9.0 millimeters
Fastener Length:
Between 23.7 millimeters and 24.3 millimeters
Head Style:
Hexagon
Head Height:
Between 2.7 millimeters and 3.0 millimeters
Width Between Flats:
Between 7.85 millimeters and 8.00 millimeters
Grip Diameter:
Between 4.965 millimeters and 4.990 millimeters
Point Diameter:
Between 3.5 millimeters and 4.0 millimeters
Point Style:
Flat
Internal Drive Style:
W/o internal drive
End Application:
1055-01-536-7106
Thread Diameter:
5.0 millimeters
Grip Length:
Between 14.8 millimeters and 15.2 millimeters
Min. Tensile Strength (psi):
1100 megapascals
Thread Pitch In Millimeters:
0.8
Product Name:
Bolt tolerance, hexagon head, a286 cres, 1100 mpa, metric
Material:
Stainless steel
Material Specification:
Na0026 national standard single material response
Surface Treatment:
Passivate

**Surface Treatment Specification:** 

Ams2700, method 1, class 4 national standard single treatment response

## **NSN 5306-01-654-5661**Close Tolerance Bolt - Page 2 of 2

A003b0



Thread Series Designator:
Mj
Specification Data:
80205-na0045 professional/industrial association standard
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig: