NSN 5306-01-654-6238

Shoulder Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-654-6238 **Thread Class:** 4h6h **Thread Direction:** Right-hand Thread Length: 10.9 millimeters **Fastener Length:** Between 39.2 millimeters and 39.8 millimeters **Head Style:** Hexagon **Head Height:** Between 4.7 millimeters and 5.0 millimeters Width Between Flats: Between 16.73 millimeters and 17.00 millimeters **Shoulder Diameter:** 6.35 millimeters and 6.50 millimeters all shoulders **Shoulder Length:** 0.4 inches and 0.8 millimeters all shoulders **End Application:** 1055-01-536-7106 **Thread Diameter:** 8.0 millimeters Min. Tensile Strength (psi): 34800 newtons per square millimeter **Thread Pitch In Millimeters:** 1.0 **Shoulder Shape:** Round all shoulders **Product Name:** Bolt, shoulder, hexagon head, a286 cres, 1100 mpa tensile, metric Material: Stainless steel **Material Specification:** Na0026 national standard single material response **Surface Treatment: Passivate Surface Treatment Specification:** Ams2700, method 1, class 4 national standard single treatment response **Thread Series Designator:**

Mj

Specification Data:

80205-na0252 professional/industrial association standard

NSN 5306-01-654-6238

Shoulder Bolt - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0