NSN 5307-00-075-0093

Shouldered And Stepped Stud - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5307-00-075-0093 **Thread Class:** 2a stud thread **Thread Direction:** Right-hand stud thread Thread Length: 0.359 inches stud thread and 0.375 inches stud thread Shoulder Diameter: Between 0.214 inches and 0.224 inches **Shoulder Length:** Between 0.490 inches and 0.563 inches **Overall Length:** Between 1.031 inches and 1.062 inches **Nut End Shank Length:** Between 0.140 inches and 0.156 inches Thready Qty Per Inch (tpi): 44 stud thread **Thread Size:** 0.125 inches stud thread **Special Features:** 0.148 in. Min 0.158 in. Maximum width across flats 0.063 in. Min 0.094 in. Maximum length wrenching provision located on nut side of shoulder Material: Steel comp 416 **Material Specification:** Astm a582 assn standard single material response **Surface Treatment:** Cadmium and chromate **Surface Treatment Specification:** Qq-p-416, type 2 cl 3 federal specification single treatment response **Style Designator:** Shouldered and stepped **Thread Series Designator:** Unf stud thread Shelf Life: N/a **Unit Of Measure: Demilitarization:** No

Fiig:

A051a0