NSN 5307-00-149-5069

Plain Stud - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5307-00-149-5069

| View Online at https://aerobasegroup.com/nsn/5307-00-14 |
|---|
| Thread Class: |
| 3a nut thread |
| Thread Pitch Diameters: |
| +0.2883 to 0.2909 inches stud thread |
| Thread Direction: |
| Right-hand stud thread |
| Thread Length: |
| 0.688 inches nut thread |
| Overall Length: |
| 1.438 inches |
| Distance From Cotter Pin Hole Centerline To Nut End: |
| 0.094 inches first hole |
| Cotter Pin Hole Diameter: |
| 0.076 inches first hole |
| Thready Qty Per Inch (tpi): |
| 18 stud thread |
| Hardness Rating: |
| Between 26.0 rockwell c and 32.0 rockwell c |
| Thread Size: |
| 0.312 inches stud thread |
| Material: |
| Steel comp 8735 |
| Material Specification: |
| Ams 6320 assn standard single material response |
| Surface Treatment: |
| Cadmium |
| Surface Treatment Specification: |
| Ams 2400 assn standard single treatment response |
| Thread Series Designator: |
| Uns stud thread |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A051a0 |