NSN 5307-00-174-8501

Shouldered Stud - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5307-00-174-8501
Thread Class:
3a stud thread
Thread Direction:
Right-hand stud thread
Thread Length:
0.365 inches nut thread and 0.385 inches nut thread
Shoulder Diameter:
Between 0.480 inches and 0.485 inches
Shoulder Length:
Between 0.070 inches and 0.080 inches
Overall Length:
Between 1.020 inches and 1.120 inches
Nut End Shank Length:
Between 0.130 inches and 0.150 inches
Distance Across Flats:
Between 0.330 inches and 0.340 inches
Thready Qty Per Inch (tpi):
32 stud thread
Thread Size:
0.190 inches stud thread
Criticality Code Justification:
Ctdt
Stud End Shank Length:
0.135 inches
Stud End Shank Diameter:
0.190 inches
Surface Finish:
63.0 microinches wrenching facility
Nut End Shank Diameter:
0.190 inches
Material:
Nickel alloy
Material Specification:
C50tf25 cl a, fscm 24446 mfr ref single material response
Style Designator:
Shouldered
Test Data Document:
99207-+3tf2 cl a specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format;
excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental
and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Unjf stud thread

Thread Series Designator:

Shelf Life:

N/a

NSN 5307-00-174-8501

Shouldered Stud - Page 2 of 2



		• •			
ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A051a0