NSN 5307-00-176-9930

Shouldered And Stepped Stud - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5307-00-176-9930 **Thread Class:** 2a stud thread **Thread Direction:** Right-hand stud thread Thread Length: 0.850 inches nut thread **Shoulder Length:** 1.590 inches **Overall Length:** Between 3.020 inches and 3.100 inches **Nut End Shank Length:** Between 0.100 inches and 0.140 inches **Distance Across Flats:** Between 1.240 inches and 1.260 inches Thready Qty Per Inch (tpi): 16 stud thread **Thread Size:** 0.750 inches stud thread **Surface Finish:** 125.0 microinches **Nut End Shank Diameter:** Between 0.620 inches and 0.640 inches Material: Steel comp 4130 or steel comp 4140 **Material Specification:** Mil-s-6758 federal specification 3rd material response **Surface Treatment:** Oxide **Surface Treatment Specification:** Mil-c-13924 military specification single treatment response **Style Designator:** Shouldered and stepped **Thread Series Designator:** Unf stud thread Shelf Life: N/a **Unit Of Measure: Demilitarization:** No

Fiig: A051a0

NSN 5307-00-176-9930

Shouldered And Stepped Stud - Page 2 of 2



Mil-std (military Standard):

Mil-c-13924 spec.