## NSN 5307-00-231-1893

Locked In Stud - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5307-00-231-1893

**Thread Class:** 

3a nut thread

**Thread Pitch Diameters:** 

+0.2778/+0.2795 inches stud thread

**Thread Direction:** 

Right-hand stud thread

**Thread Length:** 

0.375 inches stud thread and 0.405 inches stud thread

**Locking Feature:** 

Ring, lock serrated

**Overall Length:** 

Between 1.280 inches and 1.340 inches

**Distance From Serrated Portion To Nut End:** 

Between 0.735 inches and 0.765 inches

**Distance From Serrated Portion To Stud End:** 

Between 0.545 inches and 0.575 inches

**Distance From Serrated Portion To End Of Stud Thread:** 

Between 0.140 inches and 0.200 inches

**Serration Quantity:** 

17

Thready Qty Per Inch (tpi):

28 nut thread

**Thread Size:** 

0.312 inches stud thread

**Surface Finish:** 

32.0 microinches nut thd

**Serration Included Angle:** 

86.0 degrees

Material:

Steel

**Material Specification:** 

Ams 5734 assn standard single material response

**Surface Treatment:** 

**Passivate** 

**Surface Treatment Specification:** 

Qq-p-35 federal specification single treatment response

Style Designator:

Locked in

**Thread Series Designator:** 

Uns stud thread

Shelf Life:

N/a

## NSN 5307-00-231-1893

Locked In Stud - Page 2 of 2



ш	ın	10	<i>(</i> )+	Measure:	

--

Demilitarization:

No

Fiig:

A051a0