## NSN 5307-00-591-1152

Shouldered Stud - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5307-00-591-1152 **Thread Class:** 2a stud thread **Thread Direction:** Right-hand stud thread Thread Length: 0.650 inches nut thread **Shoulder Diameter:** 0.440 inches **Shoulder Length:** 0.570 inches **Overall Length:** Between 1.610 inches and 1.670 inches **Nut End Shank Length:** 0.050 inches Thready Qty Per Inch (tpi): 28 stud thread **Thread Size:** 0.250 inches stud thread Stud End Shank Length: 0.050 inches **Stud End Shank Diameter:** Between 0.246 inches and 0.249 inches **Nut End Shank Diameter:** Between 0.246 inches and 0.249 inches **Special Features:** Hex recess in stud end, 0.130 in.Dp x 0.125 in. Wd across flats; stud end shoulder taperred 5 degrees toward center; used on door light in-flight refueling b-52 aircraft Material: Steel comp 8630 or steel comp 4130 **Material Specification:** Mil-s-6050 military specification single material response or mil-s-6758 military specification single material response **Style Designator:** Shouldered **Thread Series Designator:** Unf stud thread Shelf Life: N/a **Unit Of Measure:** 

Fiig: A051a0

No

**Demilitarization:** 

## NSN 5307-00-591-1152

Shouldered Stud - Page 2 of 2



Mil-std (military Standard):

Mil-s-6050 spec.