Shouldered And Stepped Stud - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5307-00-627-7611

Thread Class:
3a stud thread
Thread Direction:
Right-hand stud thread
Thread Length:
0.611 inches nut thread and 0.687 inches nut thread
Shoulder Length:
0.450 inches
Overall Length:
Between 2.768 inches and 2.784 inches
Nut End Shank Length:
Between 1.047 inches and 1.077 inches
Distance From Cotter Pin Hole Centerline To Nut End:
0.110 inches first hole
Cotter Pin Hole Diameter:
0.080 inches second hole
Distance Across Flats:
Between 0.553 inches and 0.564 inches
Thready Qty Per Inch (tpi):
28 stud thread
Hardness Rating:
Between 26.0 rockwell c and 32.0 rockwell c
Thread Size:
0.375 inches nut thread
Surface Finish:
63.0 microinches
Nut End Shank Diameter:
0.371 inches
Material:
Steel
Material Specification:
Ems85010, general motors corporation mfr ref single material response
Surface Treatment:
Cadmium
Surface Treatment Specification:
Ams 2400 assn standard single treatment response
Style Designator:
Shouldered and stepped
Thread Series Designator:
Unf stud thread
Shelf Life:
N/a

Shouldered And Stepped Stud - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

No

Fiig:

A051a0