## NSN 5307-00-638-4013

Shouldered And Stepped Stud - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5307-00-638-4013



**Thread Class:** 3a nut thread **Thread Pitch Diameters:** +0.2933/+0.2959 inches stud thread **Thread Direction:** Right-hand stud thread Thread Length: 0.416 inches stud thread and 0.456 inches stud thread **Shoulder Diameter:** 0.600 inches **Shoulder Length:** Between 0.050 inches and 0.070 inches **Overall Length:** 1.160 inches **Nut End Shank Length:** Between 0.070 inches and 0.090 inches Thready Qty Per Inch (tpi): 18 stud thread **Hardness Rating:** Between 26.0 rockwell c and 32.0 rockwell c **Thread Size:** 0.312 inches stud thread Stud End Shank Length: 0.094 inches **Stud End Shank Diameter:** 0.250 inches **Nut End Shank Diameter:** 0.253 inches Material: Steel comp 8740 **Material Specification:** Ams 6322 assn standard single material response **Surface Treatment:** Cadmium **Style Designator:** Shouldered and stepped **Thread Series Designator:** Uns stud thread Shelf Life: N/a

--

**Unit Of Measure:** 

## NSN 5307-00-638-4013

Shouldered And Stepped Stud - Page 2 of 2



Demilitarization:

No

Fiig:

A051a0