## NSN 5307-00-638-7095

Shouldered And Stepped Stud - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5307-00-638-7095 **Thread Class:** 3a stud thread **Thread Direction:** Right-hand stud thread Thread Length: 0.660 inches stud thread **Shoulder Length:** 0.250 inches **Overall Length:** 3.410 inches **Nut End Shank Length:** 0.560 inches **Distance From Cotter Pin Hole Centerline To Nut End:** 0.110 inches first hole **Cotter Pin Hole Diameter:** 0.067 inches first hole **Distance Across Flats:** 0.750 inches Thready Qty Per Inch (tpi): 20 stud thread Hardness Rating: Between 27.0 rockwell c and 34.0 rockwell c **Thread Size:** 0.500 inches stud thread **Special Features:** 0.096 in. Cotter pin hole dia. Stud end and 0.170 in. Distance from center of hole to end of stud Material: Steel comp 8630 **Material Specification:** Mil-s-6050 military specification single material response **Surface Treatment:** Cadmium **Style Designator:** Shouldered and stepped **Thread Series Designator:** Unf stud thread Shelf Life: N/a **Unit Of Measure:** 

Demilitarization:

No

## NSN 5307-00-638-7095

Shouldered And Stepped Stud - Page 2 of 2



Fiig:

A051a0

Mil-std (military Standard):

Mil-s-6050 spec.