## NSN 5307-00-680-6857

Shouldered And Stepped Stud - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5307-00-680-6857

**Thread Class:** 1a nut thread **Thread Pitch Diameters:** +0.3992/+0.4007 inches stud thread **Thread Direction:** Right-hand stud thread Thread Length: 0.563 inches nut thread **Shoulder Diameter:** Between 0.548 inches and 0.552 inches **Shoulder Length:** Between 0.093 inches and 0.095 inches **Overall Length:** Between 1.615 inches and 1.635 inches **Nut End Shank Length:** Between 0.278 inches and 0.298 inches Thready Qty Per Inch (tpi): 24 nut thread **Hardness Rating:** Between 30.0 rockwell c and 34.0 rockwell c **Thread Size:** 0.438 inches stud thread Stud End Shank Length: 0.126 inches **Stud End Shank Diameter:** Between 0.305 inches and 0.315 inches **Nut End Shank Diameter:** Between 0.325 inches and 0.335 inches Material: Iron alloy 660 **Material Specification:** Ams 5735 assn standard single material response **Surface Treatment: Passivate Style Designator:** Shouldered and stepped **Thread Series Designator:** Uns stud thread Shelf Life: N/a

--

**Unit Of Measure:** 

## NSN 5307-00-680-6857

Shouldered And Stepped Stud - Page 2 of 2



Demilitarization:

No

Fiig:

A051a0