## NSN 5307-00-685-3383

Shouldered And Stepped Stud - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5307-00-685-3383
Thread Class:
1a nut thread
Thread Pitch Diameters:
+0.4022/+0.4037 inches stud thread
Thread Direction:
Right-hand stud thread
Thread Length:
0.871 inches stud thread
Shoulder Diameter:
Between 0.548 inches and 0.552 inches
Shoulder Length:
Between 0.093 inches and 0.095 inches
Overall Length:
Between 2.050 inches and 2.070 inches
Nut End Shank Length:
Between 0.278 inches and 0.298 inches
Thready Qty Per Inch (tpi):
24 nut thread
Hardness Rating:
Between 24.0 rockwell c and 37.0 rockwell c
Thread Size:
0.438 inches stud thread
Stud End Shank Diameter:
Between 0.305 inches and 0.315 inches
Nut End Shank Diameter:
Between 0.325 inches and 0.335 inches
Material:
Iron alloy 660
Material Specification:
Ams 5735 assn standard single material response
Surface Treatment:
Passivate
Style Designator:
Shouldered and stepped
Thread Series Designator:
Uns stud thread
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

No

## NSN 5307-00-685-3383

Shouldered And Stepped Stud - Page 2 of 2



Fiig:

A051a0